



SPCC guidelines require secondary containment vessels to hold a minimum of 110% capacity of the largest primary tank within a stack or that of an individual primary tank. Set your entire Rhino Tuff Tank system into this custom-sized vessel for full compliance. 15" side walls allow access for gravity feed dispensing systems.

Description:

SECONDARY CONTAINMENT VESSEL 150 GAL CAPACITY

Model: RTT-4042

P/N: 500289

Package Includes:

- One (1) 150 Gallon Containment Vessel

Containment Vessel Features:

- Thermoformed High Density Polyethylene (HDPE) construction with UV inhibitors resist UV rays, corrosion, and rust.
- Vertical rib design provides superior strength and impact resistance
- Capacity holds RTT system where largest tank up to 120 gallons
- Low Profile walls for easy clean out
- Material is protected from ultraviolet rays from the sun with a special blend of UV-8 additives within the resins.
- Compliance with CFR reg. 21.62



Specifications:

OUTSIDE (TOP) DIMENSIONS	INSIDE (BOTTOM) DIMENSIONS	PRODUCT WEIGHT	SOLD AS	SYSTEM CAPACITY (US GAL / L)
50" L X 67-1/2" W X 15" H	39" L X 55" W X 15" H	40 LBS	1 EA	150 US GAL / 568 L